Sales Offices Worldwide

Europe, Middle East, Africa

AE – United Arab Emirates, Dubai Tel: +971 4 8127100 parker.me@parker.com

AT – Austria, Wiener Neustadt Tel: +43 (0)2622 23501-0 parker.austria@parker.com

AT – Eastern Europe, Wiener Neustadt Tel: +43 (0)2622 23501 900 parker.easteurope@parker.com

AZ – Azerbaijan, Baku Tel: +994 50 2233 458 parker.azerbaijan@parker.com

BE/LU – Belgium, Nivelles Tel: +32 (0)67 280 900 parker.belgium@parker.com

BG – Bulgaria, Sofia Tel: +359 2 980 1344 parker.bulgaria@parker.com

BY – Belarus, Minsk Tel: +375 17 209 9399 parker.belarus@parker.com

CH – Switzerland, Etoy Tel: +41 (0)21 821 87 00 parker.switzerland@parker.com

CZ - Czech Republic, Klecany Tel: +420 284 083 111 parker.czechrepublic@parker.com

DE – Germany, Kaarst Tel: +49 (0)2131 4016 0 parker.germany@parker.com

DK – Denmark, Ballerup Tel: +45 43 56 04 00 parker.denmark@parker.com

ES – Spain, Madrid Tel: +34 902 330 001 parker.spain@parker.com

FI – Finland, Vantaa Tel: +358 (0)20 753 2500 parker.finland@parker.com

FR – France, Contamine s/Arve Tel: +33 (0)4 50 25 80 25 parker.france@parker.com

by Parker Hannifin Corp and it's subsidiaries at any time without notice.

GR – Greece, Athens Tel: +30 210 933 6450 parker.greece@parker.com

DISCLAIMER

HU – Hungary, Budaörs Tel: +36 23 885 470 parker.hungary@parker.com

IE – Ireland, Dublin Tel: +353 (0)1 466 6370 parker.ireland@parker.com

IT – Italy, Corsico (MI) Tel: +39 02 45 19 21 parker.italy@parker.com

KZ – Kazakhstan, Almaty Tel: +7 7273 561 000 parker.easteurope@parker.com

NL – The Netherlands, Oldenzaal Tel: +31 (0)541 585 000 parker.nl@parker.com

NO – Norway, Asker Tel: +47 66 75 34 00 parker.norway@parker.com

PL – Poland, Warsaw Tel: +48 (0)22 573 24 00

parker.poland@parker.com **PT – Portugal,** Leca da Palmeira Tel: +351 22 999 7360

parker.portugal@parker.com **RO – Romania,** Bucharest Tel: +40 21 252 1382 parker.romania@parker.com

RU – Russia, Moscow Tel: +7 495 645-2156 parker.russia@parker.com

SE – Sweden, Spånga Tel: +46 (0)8 59 79 50 00 parker.sweden@parker.com

SK – Slovakia, Banská Bystrica Tel: +421 484 162 252 parker.slovakia@parker.com

SL – Slovenia, Novo Mesto Tel: +386 7 337 6650 parker.slovenia@parker.com

TR – Turkey, Istanbul phone +90 216 4997081 parker.turkey@parker.com

UA – Ukraine, Kiev phone +380 44 494 2731 parker.ukraine@parker.com

UK – United Kingdom, Warwick phone +44 (0)1926 317 878 parker.uk@parker.com

The products described herein, including without limitation, product features, specifications, designs, availability and pricing are subject to change

ZA – South Africa, Kempton Park Tel: +27 (0)11 961 0700 parker.southafrica@parker.com

North America

CA – Canada, Milton, Ontario Tel: +1 905 693 3000

US – USA, Cleveland Tel: +1 216 896 3000

Asia Pacific

AU – Australia, Castle Hill Tel: +61 (0)2-9634 7777

CN – China, Shanghai Tel: +86 21 2899 5000

HK – Hong Kong Tel: +852 2428 8008

IN - India, Mumbai Tel: +91 22 6513 7081-85

JP – Japan, Tokyo Tel: +81 (0)3 6408 3901

KR – South Korea, Seoul Tel: +82 2 559 0400

MY – Malaysia, Shah Alam Tel: +60 3 7849 0800

NZ – New Zealand, Mt Wellington Tel: +64 9 574 1744

SG – Singapore Tel: +65 6887 6300

TH – Thailand, Bangkok Tel: +662 186 7000-99

TW – Taiwan, Taipei Tel: +886 2 2298 8987

South America

AR – Argentina, Buenos Aires phone +54 3327 44 4129

BR – Brazil, Sao Jose dos Campos phone +55 800 727 5374

CL – Chile, Santiago phone +56 2 623 1216

MX – Mexico, Toluca phone: +52 72 2275 4200



On Shore Frac Fleet

Focused on Supporting the Oilfield



© 2014 Parker Hannifin Corporation

6035 Parkland Boulevard Cleveland, Ohio 44124 phone + 1 216 896 3000 www.parker.com/veriflo

Parker Hannifin Corporation Oil & Gas Market Development

On Shore # PS-2040

Date of Issue 02/2014

eet Oilfield aerospace climate control electromechanical filtration fluid & gas handling hydraulics pneumatics process control sealing & shielding

ENGINEERING YOUR SUCCESS.

AVAILABILITY WORLDWIDE DISTRIBUTION SALES FORCE AND SERVICE

FLEXIBILITY SOLUTIONS FOR GLOBAL AND REGIONAL CHALLANGES

SUSTAINABILITY PROTECTING PEOPLE AND ENVIRONMENT


PROFITABILITY SERVING FOR GREATER VALUE TO YOU AND YOUR BUSINESS


RELIABILITY MINIMIZING DOWTIME AND OPTIMIZING PERFORMANCE







diversified manufacturer of motion and control technologies and systems, providing precisionengineered solutions for a wide variety of mobile, industrial and aerospace markets. The company employs approximately **57,500 people in 50 countries** around the world. Parker has increased its annual dividends paid to shareholders for 58 consecutive fiscal years, among the top






02 BLENDER







03 COILED TUBING





04 FRAC MANIFOLD






HYDRATION TRUCK **06**

WORK OVER RIG **08**

Parker Hannifin is focused on supporting the needs of the oil and gas industry. This brochure provides a representative overview of the many solutions that are offered; however, Parker offers much more that is not captured here. For a more complete overview of Parker oilfield offerings, please see our interactive online marketing materials or contact one of our distributor partners.









2

TRI-PLEX PUMP DRIVE

The Gold Cup pump offers dependable high pressure closed circuit design and simplifies plumbing with integrated features.

CENTRIFUGAL DRIVE PUMP

The P1 Open Circuit piston pump provides consistent fluid power to the drive motor.





HYDRAULIC MOTOR For centrifugal Pump

The F12 motor boasts high efficiency and is one of the most reliable on the market.

HYDRAULIC MOTOR For TRI-PLEX

Gold Cup motors are designed to operate under pressure pulsation conditions created by the Triplex circuit.







BALL VALVE

Up to 10,000 psi in 2, 3, or 4 way configurations. Carbon steel, stainless steel, brass, aluminum, and many seal options for different fluids. (BVHPSSclr shown)

HYDRAULIC COOLERS

Compact and easy to maintain, Parker's coolers are optimized for the oil and gas environment. The ULDC line is a perfect choice.

HYDRAULIC OIL FILTER

IL8 series of filters are designed for demanding lube oil applications with flows up to 300 GPM and utilize high capacity deep pleat elements.



AIR FILTRATION & PRE-CLEANERS

Racor air filters and pre-cleaners designed and built to meet demanding high dust environments with excessive vibration and extreme temperatures.

WELL SERVICE PACKING FOR TRIPLEX CEMENT PUMP

Parker's Resilon(R) Polyurethane well service packing is designed to reduce downtime - a great option for new build and replacement.

HYDRAULIC HOSE Assemblies

High performance hose, fittings, equipment and accessories necessary to keep your fracking equipment running at peak performance levels. (R2, R12, R13 are commonly used)

DRY BULK CEMENT HOSE

Extremely flexible hose designed for maximum abrasion resistance. The 1/4" thick abrasion resistant tube gives you maximum service life in the most severe applications. (Series SS247 shown)






Always innovating, Parker's HTR Series Unibody Actuators enhance the proven performance and efficiency of the rack-and-pinion hydraulic actuator by creating a compact, environmentally-sealed, modular package. Reduced weight, fewer fittings required and increased corrosion resistance makes this the ideal actuator for oilfield applications.







HYDRAULIC HOSE ASSEMBLIES

High performance hose, fittings, equipment and accessories necessary to keep your fracking equipment running at peak performance levels.



HYDRAULIC FITTINGS & ADAPTORS

XTR plating provides superior resistance to rust reducing your equipment's downtime and saving you money.



SERIES 7373

CHEMICAL HOSES

Designed with an UHMW tube for maximum chemical resistance, this heavy duty chemical hose provides the safety and versatility required in the oilfield. (Series 7373T)

FRAC HOSE


This 400 psi hose is available with both the standard abrasion resistant cover and a XT, extreme abrasion resistant cover. (Series 7311 shown)




Absolute Series bypass oil cleaners increase engine oil life by reducing contaminants resulting in longer filter life and lower maintenance.



Multifunction load compensated for repeatable automation control with explosion proof options. (VP120clr shown)







WELDED CYLINDERS

Welded cylinders are available in multiple stroke lengths and bore sizes and are repairable. Perfect for sand hopper positioning.

HYDRAULIC ROTARY ACTUATORS

Unibody Actuators enhance performance / efficiency of rackand-pinion hydraulic actuators by creating compact, environmentallysealed, modular package.

LOW SPEED HIGH TORQUE MOTORS

Gerotor motors provide smooth operation over a wide range of speeds. High starting torque, quite operation and long life are hallmarks of this design.

AUGER DRIVE MOTORS

Calzoni LSHT motor is capable of powering through packed sand with its high starting torque. Gold Cup motor and gear box are also an option for this application.

OIL COOLER FAN DRIVE

M5 vane motors are compact and efficient for large cooling needs. Integrated valving option allows reversing functions for radiator clean out.





The Gold Cup pump offers dependable high pressure closed circuit design and simplifies plumbing with integrated features.



CENTRIFUGAL DRIVE PUMP

The P1 Open Circuit piston pump provides consistent fluid power to the drive motors.







MCC SERIES MULTICOUPLER

Customizable design can accommodate up to 10 connections in a single plate. Guide pins and external locking tabs ensure a complete connection.



59 SERIES THREADto-connect

High pressure, high impulse, thread-to-connect quick coupling. Double-start ACME thread allows full connection in 2 ¹/₂" turns under residual line pressure.



HYDRAULIC FITTINGS

Seal-Lok O-ring Face Seal Fittings with precision engineered Trap-Seals provide a leak-free connection for high vibration and hydraulic impulse applications up to 9200 psi.

HYDRAULIC HOSE

High performance hose, fittings, equipment and accessories necessary to keep your fracking equipment running at peak performance levels.



INJECTOR DRIVE PUMPS

Gold Cup Closed circuit hydrostat provides precision control to the bent axis injector motors.



CYLINDER AND REEL PUMPS

P1 Pressure compensated Open Circuit pump can be used for tilt cylinders along with reel take up & hold back functions.









SKATE & STRIPPER PUMPS

P2 Open circuit pumps provide consistent high pressure for the Skate and Stripper circuit.

REEL DRIVE MOTOR

M4 vane motors are well suited to operate in a stalled condition to accomplish reel hold back force.

INJECTOR HEAD MOTORS

Variable Displacement Bent Axis V14 motors can be used to operate the feed tracks of the injector head.

WELDED CYLINDER


Welded cylinders are available in multiple stroke lengths and bore sizes and are repairable. Shown here is the RDH Heavy Duty Roundline.





HYDRAULIC ACCUMULATORS

11 and 15 gallon bottom repairable bladder accumulators are two common examples of the bladder and piston accumulators that Parker manufacturers.



HYDRAULIC COOLER

ULHC coolers with hydraulic motors provide maximum cooling capacity up to 215 hp. Easy to maintain and can be used as a retrofit.




CUSTOM MANIFOLD SOLUTIONS


Custom valve solutions for specific multifunction system requirements. (Pulsar System 2 shown)





















4



HYDRAULIC ROTARY Actuators

HTR Series Unibody Actuators help in removing workers from the immediate area around the manifold by adding automation that increases safety and performance.

WELDED CYLINDERS

Welded cylinders are available in multiple stroke lengths and bore sizes and are repairable. Perfect for positioning assistance.

FRAC HOSE

This 400 psi hose is available with both the standard abrasion resistant cover and a XT, extreme abrasion resistant cover. (Series 7311 shown)

BLACK EAGLE HOSE

The Black Eagle hose family is a series of multi-spiral, wirereinforced hoses available in lengths up to 9,800ft. with working pressures from 5,000 to 15,000 psi.

HYDRAULIC HOSE ASSEMBLIES

High performance hose, fittings, equipment and accessories necessary to keep your fracking equipment running at peak performance levels.















WELL SERVICE PACKING

Parker's Resilon® polyurethane well service packing is specifically designed to reduce downtime and a great option for both new build and replacement.

PONY ROD SEAL

Parker's Resilon® polyurethane pony rod seal offers a single piece solution to wipe debris from the rod and maintain gear fluids.



IN BOSTON

SILICONE HOSES Series 6750 high temperature silicone hose is used as a flexible joint between two rigid pipes. Extremely durable and available in multiple sizes.

426 HI TEMPERATURE Hose


426 hose is designed for hightemperature applications up to 302°F, including engine compartment applications. Meets SAE 100R1 specification.

HYDRAULIC GEAR PUMP


Cast iron and aluminum gear pump and motor offering provides reliable performance, reparability and application flexibility. (P76 series shown)

HYDRAULIC GEAR MOTOR Cast iron and aluminum gear pump and motors

gear pump and motors provide reliable performance, reparability and application flexibility.









CHELSEA POWER TAKE OFF UNIT

Parker's Chelsea power take off units are designed for heavy duty applications in the harshest environments. Common series include 880, 852, 823.

COOLING FAN MOTOR

Bent Axis Fan Motor provides efficiency and the required torque to operate these high hp cooling fans. (F12-250 shown)



PROPORTIONAL DIRECTIONAL CONTROL VALVE

Precision manufactured for proportional speed control of multiple functions.

HYDRAULIC OIL FILTER

WPF series high pressure filters handle up to 7000 PSI with a patented integral bypass element design that provides a new bypass valve with every service.



METALLIC WEAR DEBRIS SENSOR

Provides real-time detection for both ferrous and nonferrous metal debris in lube circuits maximizing prewarning time before damage occurs.

RACOR FUEL FILTER

Heavy-duty fuel filter/water separators feature Aquabloc® media for high efficiency removal of water, rust, and dirt from diesel fuels. Options are available for all-weather operation

RACOR SPIN ON FUEL FILTER REPLACEMENTS


ParFit line of heavy-duty spinon replacement fuel filters feature Aquabloc® media for high efficiency removal of water, rust, and dirt from diesel fuels.




Parker is focused on your equipment's uptime. The IPDR particle detector (available in explosion proof configuration) is designed to be a cost-effective solution to real-time hydraulic fluid monitoring. An integral part of any preventative maintenance program, Parker detection and prevention solutions help you identify problems early and avoid costly downtime.













IPDR particle detector is a cost-effective solution to real-time hydraulic fluid monitoring helping you identify problems early and avoid costly downtime.

ENGINE OIL FILTER

Absolute Series bypass oil cleaners increase the life span of engine oil by reducing the contaminants in the oil resulting in longer filter life and lower maintenance costs.

WELDED CYLINDERS

Welded cylinders available in multiple stroke lengths and bore sizes and are repairable. Perfect for outrigger leveling.

PADDLE MOTORS

Solid shaft construction of this Parker Nichols high torque motor means high drive train strength and longer life. Delivers high power in a small package.

CENTRIFUGAL PUMP DRIVE

The F12 motor boasts high efficiency and is one of the most reliable on the market.

CENTRIFUGAL DRIVE PUMP

Pressure compensated open circuit P1 pump supplies flow to hydraulic motors to drive the centrifugal pump

PADDLE DRIVE PUMP

Pressure compensated open circuit P2 pump ideal for use with multiple paddle motors.



Parker isn't only focused on making sure your hydraulic fluid flows properly. Parker Racor provides the solutions to ensure your engine is getting clean fuel, air and oil. In addition to the many on-engine solutions, Parker also offers portable fuel cleaning, transfer and dispensing units.






OUTRIGGER CUSTOM CYLINDERS

With a long history in custom cylinders, Parker can meet any of your unique cylinder design needs up to 48" bore and 876" stroke.



WELDED HYDRAULIC Cylinders

Mobile welded cylinders of all sizes are ready for your application. Shown here are small welded cylinders perfect for sand bin hopper gates.



HYDRAULIC HOSE ASSEMBLIES

High performance hose, fittings, equipment and accessories necessary to keep your fracking equipment running at peak performance levels.











Seal-Lok O-Ring Face Seal Fittings combined with Parker's XTR plating provides for leak free connections and superior resistance to rust.

LSHT CONVEYOR Motor

For 50 years, Parker Torqmotors™ have been the "go to" product when a high torque motor is needed for a tough application. Rugged. Dependable. Long life.

VARIABLE DISPLACE-Ment Piston Pumps

P2 open circuit pump provides adequate flow to operate this truck's conveyor system and hopper gate doors.





DIRECTIONAL CONTROLS VALVES Durable manifold mounted

Durable manifold mounted valves used to control for gate control and auxiliary functions with explosion proof options. (D1VWatex-clr shown)

CHECK VALVE

Parker manufactures a wide variety of in-line check valves.





HYDRAULIC OIL FILTERS

Moduflow Plus low pressure filters provide high versatility in mounting and porting configurations to meet your application needs.

PARKER O-RINGS

From your standard NBR volume o-rings to more complex offerings of HNBR and FKM for high temperatures and pressures, Parker has a material for all of your needs.













GEAR PUMP

Cast iron and aluminum gear pump and motor offering provides reliable performance, reparability and application flexibility.

SECTIONAL Auxiliary valves

Low flow open center valves with fixed flows for outriggers and other auxiliary functions. (VO50clr shown)




SECTIONAL OPEN CENTER VALVES

High flow valves for the raising and lowering mast raising function. (VA-VG35clr shown)

LSHT WINCH MOTORS

Solid shaft construction of this Parker Nichols high torque motor means high drive train strength and longer life. Delivers high power in a small package.



CCV

Controlling crankcase blow-by gas emissions is possible using Parker's open or closed (CCV) crankcase ventilation filters.





QUICK COUPLINGS

Parker is the world's largest manufacturer of quick couplings producing hydraulic and pneumatic couplings in a variety of sizes, materials, and end configurations.

HYDRAULIC HOSE Assembly

High performance hose, fittings, equipment and accessories necessary to keep your fracking equipment running at peak performance levels.



